## Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A remote procedure calling expression generation system for generating a remote procedure calling expression for requesting a service composed by combining plural procedures in a resource space in which a resource object and a procedure for processing the resource object are distributed, the system comprising:

plural hyperobject means, each of which comprising comprises:

procedure calling expression generation rule storage means for storing a procedure calling expression generation rule for generating a procedure calling expression;

one or more attribute storage means for storing an attribute value; and link storage means for storing one or more pieces of link information of the other hyperobject means, wherein:

the procedure calling expression generation rule stored in the procedure calling expression generation rule storage means is composed of a character string according to a predetermined syntax rule for describing one or more generation rule elements composed of a reference to the attribute value and/or a reference to a result of the generation of the procedure calling expression in linked hyperobject means; and

the hyperobject means is activated in response to a request for generating the procedure calling expression, the system further comprising:

expression generation rule stored in the procedure calling expression generation rule storage means according to the predetermined syntax rule and extracting the generation rule element;



2. (Cancelled)

hyperobject means for the generation rule element.

- 3. (Currently Amended) A-The remote procedure calling expression generation system according to Claim claim 1, wherein the hyperobject means is a program for generating a hypertext.
- 4. (Currently Amended) A remote procedure calling expression generation system for generating a URL for requesting a service composed by combining plural procedure servers in a WWW resource space in which an HTTP object and a procedure for processing the HTTP object are distributed, the system comprising:

plural hyperobject means, each of which comprising:

URL generation rule storage means for storing a URL generation rule for generating a URL as a procedure calling expression;

one or more attribute storage means for storing an attribute value; and linked storage means for storing one or more pieces of link information of the other hyperobject means, wherein:

the URL generation rule stored in the URL generation rule storage means is composed of a character string according to a predetermined syntax rule for describing one or



more URL generation rule elements composed of a reference to the attribute value and/or a reference to a result of the generation of the URL in linked hyperobject means; and the hyperobject means is activated in response to a request for generating the URL, the system further comprising:

URL generation rule element extracting means for interpreting the URL generation rule stored in the URL generation rule storage means according to the predetermined syntax rule and extracting the URL generation rule element;

means for searching the attribute storage means if the extracted URL generation rule element is the reference to the attribute value and substituting a corresponding attribute value for the URL generation rule element; and

means for issuing the request for generating the URL to the linked hyperobject means if the extracted URL generation rule element is the reference to the result of the generation of the URL in the linked hyperobject means and substituting the result of the generation rule element.

- 5. (Cancelled)
- 6. (Currently Amended) A hyperobject for generating a remote procedure calling expression for requesting a service composed by combining plural procedures in a resource space in which a resource object and a procedure for processing the resource object are distributed, the hyperobject comprising:

procedure calling expression generation rule storage means for storing a procedure calling expression generating rule for generating a procedure calling expression; one or more attribute storage means for storing an attribute value; and link storage means for storing one or more pieces of link information of the other hyperobjects, wherein:

7. (Cancelled)

hyperobject for the generation rule element.

- 8. (Currently Amended) A-<u>The</u> hyperobject according to <u>Claim claim</u> 6, wherein the hyperobject is an object-oriented program for generating a hypertext.
- 9. (Currently Amended) A hyperobject for generating a URL for requesting a service composed by combining plural procedure servers in a WWW resource space in which an HTTP object and a procedure for processing the HTTP object are distributed, the hyperobject comprising:



URL generation rule storage means for storing a URL generation rule for generating a URL as a procedure calling expression;

one or more attribute storage means for storing an attribute value; and link storage means for storing one or more pieces of link information of the other hyperobjects, wherein:

the URL generation rule stored in the URL generation rule storage means is
composed of a character string according to a predetermined syntax rule for describing one or
more URL generation rule elements composed of a reference to the attribute value and/or a
reference to a result of the generation of the URL in a linked hyperobject; and
the hyperobject is activated in response to a request for generating the URL,
the hyperobject further comprising:
means for interpreting the URL generation rule stored in the URL generation
rule storage means according to the predetermined syntax rule and extracting the URL
generation rule element;
means for searching the attribute storage means if the extracted URL
generation rule element is the reference to the attribute value and substituting a corresponding
attribute value for the URL generation rule element; and
attribute value for the URL generation rule element; and  means for issuing the request for generating the URL to the linked hyperobject
means for issuing the request for generating the URL to the linked hyperobject
means for issuing the request for generating the URL to the linked hyperobject if the extracted URL generation rule element is the reference to the result of the generation of

10. (Cancelled).

